

Istituti
Clinici
Scientifici
Maugeri



Regione
Lombardia

International Classification of Functioning Disability and Health. Possibile strumento in Psicologia Clinica?

Con il patrocinio di



16.11.2018

DALLE 8.30 ALLE 17.30

SALA MARCO BIAGI
Palazzo Lombardia
Piazza Città di Lombardia
Milano

Sistema Socio Sanitario
Regione Lombardia
ASST Niguarda / Ovest Milanese




La Psicologia nel
Sistema Sanitario
Regionale:
*Qualità ed Efficacia
dei Servizi*


ICF

International
Classification of
Functioning,
Disability
and
Health

Anna Giardini
ICS Maugeri IRCCS Spa SB
anna.giardini@icsmaugeri.it



The challenge of health & social care in an ageing society



2014 Italia – Aspettativa di vita a 65 anni: 21.6 anni per le donne, 18.1 per gli uomini

Life and health expectancies at age 65 based on activity limitation (Healthy Life Years), chronic morbidity and perceived health for Italy (Health data from SILC 2010*)

Life Expectancy at age 65 and expected years

- Without activity limitation
- With moderate activity limitation
- With severe activity limitation

Women

7.1 9.5 5.8

Men

8.1 6.8 3.7

Life Expectancy at age 65 and expected years

- Without chronic morbidity
- With chronic morbidity

Women

11.2 11.2

Men

10.2 8.4

Life Expectancy at age 65 and expected years

- In very good or good perceived health
- In fair perceived health
- In bad or very bad perceived health

Women

5.2 10.5 6.7

Men

5.6 8.8 4.2

0 2 4 6 8 10 12 14 16 18 20 22 24
Expected years

BIG DATA, ICT, IoT, digitalizzazione

Ethics and Information Technology (2005) 7:111–119
DOI 10.1007/s10676-006-0008-0

© Springer 2006

Why we need better ethics for emerging technologies

James H. Moor

Department of Philosophy, Dartmouth College, Hanover, NH 03755, USA
E-mail: James.Moor@Dartmouth.edu

New technological products are emerging.

Following three stages of technological revolutions:

introduction – permeation - power



PERCHE' CLASSIFICARE ?

- linguaggio comune
- permettere un raffronto dei dati fra:
 - Paesi
 - discipline sanitarie
 - servizi
 - periodi / coorti / regjorni / nazioni
- fornire uno schema di codifica sistematica per i sistemi informativi sulla salute

La 54° Assemblea Mondiale della Sanità 22 maggio 2001



Approva e pubblica l'ICF


Raccomanda:

- l'uso dell' ICF negli Stati Membri per la ricerca, negli studi di popolazione e nei rapporti
- l'uso congiunto con l'ICD**
- adattamenti specifici per indagini ed incontri clinici
- revisioni periodiche


ICIDH 1
**(International
Classification of
Impairment,
Disability and
Handicap)**
OMS, 1980



ICIDH 2
(1999)



ICF
2001




SALUTE E DISABILITA' condividono le stesse dimensioni concettuali.

La DISABILITA' è una condizione che ognuno può sperimentare durante la propria vita.

Tutti possono avere una condizione di salute che in un contesto ambientale sfavorevole causa disabilità.

La Disabilità è indipendente dall'eziologia.



The International Classification of Diseases (ICD) provides an aetiological framework for health conditions such as diseases, disorders, or injuries. Functioning and disability associated with these health conditions, however, are classified in ICF.

ICD and ICF are complementary and users are encouraged to use the two classifications together. While ICD provides a diagnosis of diseases, disorders or other health conditions, this information is enriched by additional information from ICF on functioning. If we use ICD alone we may not have the information we need for health planning and management purposes. Therefore, using ICF with ICD makes it possible to collect data providing a full picture of health and functioning in a consistent and internationally comparable manner.

Hopfe M et al . Capturing patients' needs in casemix: a systematic literature review on the value of adding functioning information in reimbursement systems. BMC Health Serv Res. 2016.

Madden R, Marshall R, Race S. ICF and casemix models for healthcare funding: use of the WHO family of classifications to improve casemix. Disabil Rehabil. 2013;35:1074-1077.


Selb M, Kohler F, Robinson Nicol MM, Riberto M, Stucki G, Kennedy C, et al. ICD-11: a comprehensive picture of health, an update on the ICD-ICF joint use initiative. J Rehabil Med. 2015;47:2-8.


Scrutinio D, Giardini A, Spanevello A, Chiovato L, Vitacca M, Giorgi G. The new frontiers of rehabilitation medicine in people with chronic disabling illnesses. European Journal of Internal Medicine. In press


Categorie ICF




**Condizione di salute
(disturbo, malattia, trauma)**







(Giardini et al, GIMLE 2018)



Definizione di Palestra Riabilitativa Digitale

DIGITAL COMPREHENSIVE REHABILITATION

Contesto di lavoro in cui vengono svolte le linee di attività terapeutica plastico funzionale (**fisioterapia, terapia occupazionale, psicologia, neuropsicologia, logopedia, nutrizionale, nursing riabilitativo**) parte essenziale dei percorsi di medicina riabilitativa

Giornale Italiano di Medicina del Lavoro ed Ergonomia, volume XL supplemento a n.1

-
- Linden M. Definition and Assessment of Disability in **Mental Disorders** underthe Perspective of the International Classification of Functioning Disability andHealth (ICF). *Behav Sci Law.* 2017 Mar;35(2):124-134. doi: 10.1002-bsl.2283. Epub 2017 Mar 14. Review. PubMed PMID: 28295575
 - Gorostiaga A, Balluerka N, Guilera G, Aliri J, Barrios M. Functioning inpatients with **schizophrenia**: a systematic review of the literature using theInternational Classification of Functioning, Disability and Health (ICF) as a reference. *Qual Life Res.* 2017 Mar;26(3):531-543. doi: 10.1007/s11136-016-1488-y.Epub 2016 Dec 26. Review. PubMed PMID: 28025717
 - Willis C, Girdler S, Thompson M, Rosenberg M, Reid S, Elliott C. Elements contributing to meaningful participation for **children and youth** with disabilities: a scoping review. *Disabil Rehabil.* 2017 Aug;39(17):1771-1784. doi: 10.1080/09638288.2016.1207716. Epub 2016 Jul 21. Review. PubMed PMID: 27442686
 - Tran J, Dorstyn DS, Burke AL. **Psychosocial aspects** of spinal cord injury pain: a meta-analysis. *Spinal Cord.* 2016 Sep;54(9):640-8. doi: 10.1038/sc.2016.66. Epub2016 May 10. Review. PubMed PMID: 27163453
 - Hudson JL, Bower P, Archer J, Coventry PA. Does collaborative care improve social functioning in adults with **depression**? The application of the WHO ICF framework and meta-analysis of outcomes. *J Affect Disord.* 2016 Jan 1;189:379-91. doi: 10.1016/j.jad.2015.09.034. Epub 2015 Oct 3. Review. PubMed PMID: 26476422.

Diagnosi

- Diagnosi/ di **malattia/e** (principale e secondarie)
- Diagnosi/valutazione della **disabilità**

ICD9

ICF

Intervento

- **Farmaci/presidi** (piano terapeutico)
- Protesi/ausili
- Procedure **interventistiche**
- Prestazioni **riabilitative**

Nomenclatore
ICSM


•Misurare/valutare

Mortalità, riacutizzazioni, revolving doors

+

ICF





ICD-ICF: New wine or just a new bottle?



Cambiamento nella domanda (Del Vecchio M. 2018)

- Cronicità
- Focus su aspetti socio-sanitari
- Prevenzione primaria e secondaria
- Maggiori attese del paziente


Complexity is not to be considered as a synonymous of complicated, but stays for the **necessary integration of interrelated information** (i.e. internal medicine issues, rehabilitation goals, pharmacotherapy, diagnostic and rehabilitation procedures, social environment, aids): the **computational models** that may describe rehabilitation medicine are necessarily **nonlinear** and **need to integrate networks of actors and multiple nodes of interrelations**.

(Kannampallil TG, Schauer GF, Cohen T, Patel VL. Considering complexity in healthcare systems. J Biomed Inform. 2011;44:943-947)

PASSATO team multidisciplinare (tutti operatori sanitari)

Poi team interdisciplinare

PRESENTE team E ingegneri - statistici - economisti - manager



Andiamo verso un pensiero computazionale
Molteplici livelli di complessità

FUTURO Integrazione della complessità

